After this Response: Claims 1-7, 15-19, 64, 65, and 67-71.

Canceled or Withdrawn claims: none.

Amended claims: 1,-4, 15-17, 64, 65, 67, 69, and 71.

New claims: none.

## Claims:

3

4

5

6

7 8 9

10

12

13

14

15

16

20

21

22

23

24 25

1. (CURRENTLY AMENDED) A computer-implemented method for hashing a body of text, the method comprising:

obtaining a body of text containing textual content in a computer-readable format, wherein the textual content of the obtained computer-readable formatted body of text is mutable via software tools for manipulation of textual content of bodies of text:

filtering the textual content the body of text to remove elements of the textual content, wherein the filtering act produces filtered subtext, which is a subset of the textual content the body of text;

formatting the body of text filtered subtext into a defined image-based format, wherein the textual content of the defined image-based formatted filtered subtext body of text is immutable via software tools for manipulation of the textual content of bodies of text;

2

3

5

6

7

9

10

11 12

13

deriving a hash value representative of the textual content of the <u>filtered</u> <u>subtext</u> body of text, perceptually distinct <u>filtered subtexts</u> bodies of text having hash values that are substantially independent of each other.

- 2. (CURRENTLY AMENDED) A method as recited in claim 1, wherein perceptually distinct <u>filtered subtexts</u> bodies of text have hash values that are independent of each other.
- 3. (CURRENTLY AMENDED) A method as recited in claim 1 further comprising comparing hash values of two <u>filtered subtexts</u> bodies of text to determine if such values match.
- **4.** (CURRENTLY AMENDED) A method as recited in claim 1 further comprising comparing hash values of two <u>filtered subtexts</u> bodies of text to determine if such values substantially match.
- 5. (ORIGINAL) A method as recited in claim 4 further comprising indicating whether such values substantially match.
- 6. (ORIGINAL) A computer comprising one or more computer-readable media having computer-executable instructions that, when executed by the computer, perform the method as recited in claim 1.

2

4

5

7. (PREVIOUSLY PRESENTED)

A computer-readable medium having computer-executable instructions that, when executed by a computer, performs the method as recited in claim 3.

Claims 8-14 are CANCELED.

15. (CURRENTLY AMENDED) A computer-implemented method for hashing a body of text, the method comprising:

obtaining a body of text containing textual content in a computer-readable format;

filtering the textual content the body of text to remove elements of the textual content, wherein the filtering act produces filtered subtext, which is a subset of the textual content the body of text:

formatting the body of text filtered subtext into a defined image-based format, wherein the textual content of the defined image-based formatted body of text filtered subtext is immutable via software tools for manipulation of textual content of bodies of text;

deriving a hash value representative of the <u>filtered subtext</u> <del>body of text</del>, perceptually similar <u>filtered subtexts</u> <del>bodies of text</del> having proximally similar hash values.

421 West Riverside, Suite 500

ee hayes

1

2

3

4

6

7

9

- 16. (CURRENTLY AMENDED)

  A method as recited in claim 15 further comprising comparing hash value of a <u>filtered subtext</u> <del>body of text</del> to determine if such value is proximally near hash values of a group of <u>filtered subtexts</u> <del>bodies of text</del> having proximally clustered hash values.
- 17. (CURRENTLY AMENDED)

  A method as recited in claim 16 further comprising grouping the <u>filtered subtext</u> body of text with the group of <u>filtered subtexts</u> bodies of text if the hash value of such <u>subtext</u> body is proximally near the values of the group.
- 18. (ORIGINAL) A computer comprising one or more computerreadable media having computer-executable instructions that, when executed by the computer, perform the method as recited in claim 16.
- 19. (ORIGINAL) A computer-readable medium having computer-executable instructions that, when executed by a computer, performs the method as recited in claim 16.

Claims 20-63 are CANCELED.

ee haves

25

1

2

3

64. (CURRENTLY AMENDED) computer-readable medium . having computer-executable instructions that, when executed by a computer, performs the method comprising:

obtaining a body of text containing textual content in a computer-readable format, wherein the textual content of the obtained computer-readable formatted body of text is mutable via software tools for manipulation of textual content of bodies of text:

filtering the textual content the body of text to remove elements of the textual content, wherein the filtering act produces filtered subtext, which is a subset of the textual content the body of text:

formatting the body of text filtered subtext into a defined image-based format, wherein the textual content of the defined image-based formatted filtered subtext body of text is immutable via software tools for manipulation of the textual content of bodies of text:

deriving a hash value representative of the textual content of the filtered subtext body of text, perceptually distinct filtered subtexts bodies of text having hash values that are substantially independent of each other.

2

4

5

6

7

8

9

10

12

13

14

15

16

performs the method comprising: 3

obtaining a body of text containing textual content in a computer-readable format, wherein the textual content of the obtained computer-readable formatted body of text is mutable via software tools for manipulation of textual content of bodies of text:

filtering the textual content the body of text to remove elements of the textual content, wherein the filtering act produces filtered subtext, which is a subset of the textual content the body of text:

formatting the body of text filtered subtext into a defined image-based format, wherein the textual content of the defined image-based formatted body of text filtered subtext is immutable via software tools for manipulation of textual content of bodies of text:

deriving a hash value representative of the filtered subtext body of text. perceptually similar filtered subtexts bodies of text having proximally similar hash values.

66. (CANCELED)

421 West Riverside, Suite 500

1 |

2

3

4 5

6

7 8

9

10

11

12

13 14

16

20

21

- 68. (PREVIOUSLY PRESENTED) A method as recited in claim 1, wherein, before formatting, the textual content of the body of text comprises multiple words and sentences.
- 69. (CURRENTLY AMENDED) A method as recited in claim 1. wherein, before formatting, the textual content of the body of text comprises multiple words and sentences and the derived hash value is representative of all-of the textual content of the body of text.
- 70. (PREVIOUSLY PRESENTED) A method as recited in claim 15, wherein, before formatting, the textual content of the body of text comprises multiple words and sentences.
- 71. (CURRENTLY AMENDED) A method as recited in claim 15. wherein, before formatting, the textual content of the body of text comprises multiple words and sentences and the derived hash value is representative of all-of the textual content of the body of text.